

REMOVER

-	06/10/2022 Date of compilation: 06/06/2012 Revised: 08/04/2022 Version: 7 (Replaced 6)
SECT	TON 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier: REMOVER
	Other means of identification:
	UFI: 6HMV-12GY-7001-KPVH
1.2	Relevant identified uses of the substance or mixture and uses advised against:
	Relevant uses: Car repair. For professional users only.
	Remover spray is designed for cleaning spray guns, paint cabins, tools, machines and others application devices.
	Uses advised against: stripper
1.3	Details of the supplier of the safety data sheet:
	Troton Sp. z o.o. Ząbrowo 14A 78-120 Gościno - Zachodniopomorskie - Polska Phone: +48 94 35 123 94 - Fax: +48 94 35 126 22 troton@troton.com.pl www.troton.pl / www.troton.eu
1.4	Emergency telephone number: (8am-4pm)+48 094 35 123 94; 112
SECT	TON 2: HAZARDS IDENTIFICATION
2.1	Classification of the substance or mixture:
	CLP Regulation (EC) No 1272/2008:
	Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
	Aerosol 1: Pressurised container: May burst if heated., H229 Aerosol 1: Flammable aerosols, Category 1, H222 Carc. 2: Carcinogenicity, Category 2, H351
2.2	Label elements:
	CLP Regulation (EC) No 1272/2008:
	Danger
	Hazard statements:
	Aerosol 1: H229 - Pressurised container: May burst if heated. Aerosol 1: H222 - Extremely flammable aerosol. Carc. 2: H351 - Suspected of causing cancer. Precautionary statements:
	 P201+P202: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211: Do not spray on an open flame or other ignition source. P251: Do not pierce or burn, even after use. P308+P313: IF exposed or concerned: Get medical advice/attention. P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.
	Substances that contribute to the classification
	Dichloromethane
2.3	Other hazards:
	Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

3.1 Substance:

REMOVER

Printing:	06/10/2022 Da	te of compilation: 06/0	6/2012 Revised: 08/04/2	022 Version: 7 (Replaced 6)	
SECT	TION 3: COMPOSITION	ON/INFORMATION	ON INGREDIENTS (continue	ed)	
	Non-applicable				
3.2	Mixture:				
	Chemical descriptio	n: Mixture composed	of chemical products		
	Components:				
	In accordance with An	nex II of Regulation (I	C) No 1907/2006 (point 3), the p	product contains:	
	Identification		Chemical name/Classi	fication	Concentration
	CAS: 75-09-2 EC: 200-838-9	Dichloromethane ⁽¹⁾		ATP CLP00	
	Index: 602-004-00-3 REACH: 01-2119480404-41- XXXX	Regulation 1272/2008	Carc. 2: H351 - Warning	\$	50 - <75 %
	CAS: 106-97-8 EC: 203-448-7	Butane ⁽²⁾		ATP CLP00	
	Index: 601-004-00-0 REACH: 01-2119474691-32- XXXX	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Dar	nger 🔅 🔶	10 - <25 %
	CAS: 64742-89-8 EC: 265-192-2	Solvent naphtha (pe	roleum), light aliph., < 0.1 % EC 2	00-753-7 ⁽¹⁾ ATP ATP01	
	Index: 649-267-00-0 REACH: 01-2119471306-40- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Asp. Tox. 1: H304; H336; EUH066 - Danger	Flam. Liq. 2: H225; STOT SE 3:	1 - <2,5 %
	CAS: 67-63-0 EC: 200-661-7	propan-2-ol ⁽¹⁾		ATP CLP00	
	Index: 603-117-00-0 REACH: 01-2119457558-25- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT	- SE 3: H336 - Danger	1 - <2,5 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 ⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

Most important symptoms and effects, both acute and delayed: 4.2

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

- CONTINUED ON NEXT PAGE -

Printing: 06/10/2022 Date of compilation: 06/06/2012 Revised: 08/04/2022 Version: 7 (Replaced 6)

SECTION 5: FIREFIGHTING MEASURES (continued)

5.1 Extinguishing media:

Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2).

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

adds



REMOVER

Printing: 06/10/2022 Date of compilation	n: 06/06/2012 Revised: 08/04/2022	2 Version: 7 (Replaced 6)
--	-----------------------------------	---------------------------

SECTION 7: HANDLING AND STORAGE (continued)

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 10 °C

Maximum Temp.:25 °CMaximum time:36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupa	ational exposure lin	nits
Dichloromethane	IOELV (8h)	100 ppm	353 mg/m ³
CAS: 75-09-2 EC: 200-838-9	IOELV (STEL)	200 ppm	706 mg/m ³

DNEL (Workers):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Dichloromethane	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 75-09-2	Dermal	Non-applicable	Non-applicable	12 mg/kg	Non-applicable
EC: 200-838-9	Inhalation	Non-applicable	Non-applicable	176 mg/m ³	Non-applicable
Solvent naphtha (petroleum), light aliph., < 0.1 % EC 200- 753-7	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64742-89-8	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 265-192-2	Inhalation	1286,4 mg/m ³	1066,67 mg/m ³	Non-applicable	837,5 mg/m ³
propan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	888 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	500 mg/m ³	Non-applicable

DNEL (General population):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Dichloromethane	Oral	Non-applicable	Non-applicable	0,06 mg/kg	Non-applicable
CAS: 75-09-2	Dermal	Non-applicable	Non-applicable	5,82 mg/kg	Non-applicable
EC: 200-838-9	Inhalation	Non-applicable	Non-applicable	44 mg/m ³	Non-applicable
Solvent naphtha (petroleum), light aliph., < 0.1 % EC 200-753-7	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64742-89-8	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 265-192-2	Inhalation	1152 mg/m ³	640 mg/m ³	Non-applicable	178,57 mg/m ³
propan-2-ol	Oral	Non-applicable	Non-applicable	26 mg/kg	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	319 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	89 mg/m ³	Non-applicable
PNEC:					

06/10/2022	Date of compilation: 06/06,	/2012 R	Revised: 08/04/2022	Version: 7 (Replace	ed 6)
TION 8: EXPOS	URE CONTROLS/PERSONA	AL PROTECTI	ON (continued)		
	Identification				
Dichloromethane		STP	26 mg/L	Fresh water	0,31 mg/L
CAS: 75-09-2		Soil	0,33 mg/kg	Marine water	0,031 mg/L
EC: 200-838-9		Intermittent	0,27 mg/L	Sediment (Fresh water)	2,57 mg/kg
		Oral	Non-applicable	Sediment (Marine water)	0,26 mg/kg
propan-2-ol		STP	2251 mg/L	Fresh water	140,9 mg/L
CAS: 67-63-0		Soil	28 mg/kg	Marine water	140,9 mg/L
EC: 200-661-7		Intermittent	140,9 mg/L	Sediment (Fresh water)	552 mg/kg
		Oral	0,16 g/kg	Sediment (Marine water)	552 mg/kg
Exposure cont	trols:				
A Individual p	rotection measures, such as pe	rsonal protectiv	ve equipment		
marking>> use, cleanin information	in accordance with Regulation g, maintenance, class of protec see subsection 7.1. All informa	(EU) 2016/425. tion,) consult ition contained	For more information the information leaf herein is a recommen	n on Personal Protective Ed et provided by the manufa ndation which needs some	quipment (storage, cturer. For more specification from
B Respiratory	•				
	ION 8: EXPOS Dichloromethane CAS: 75-09-2 EC: 200-838-9 propan-2-ol CAS: 67-63-0 EC: 200-661-7 Exposure cont A Individual p As a preven marking>> use, cleanin information	Identification Dichloromethane CAS: 75-09-2 EC: 200-838-9 propan-2-ol CAS: 67-63-0 EC: 200-661-7 Exposure controls: A Individual protection measures, such as perventative measure it is recommend marking>> in accordance with Regulation use, cleaning, maintenance, class of protection formation see subsection 7.1. All information	Identification Dichloromethane STP CAS: 75-09-2 Soil EC: 200-838-9 Intermittent propan-2-ol Soil CAS: 67-63-0 Soil EC: 200-661-7 Soil Exposure controls: A Individual protection measures, such as personal protective As a preventative measure it is recommended to use basic marking>> in accordance with Regulation (EU) 2016/425. use, cleaning, maintenance, class of protection,) consult information see subsection 7.1. All information contained	Identification Identification STP 26 mg/L Dichloromethane STP 26 mg/L CAS: 75-09-2 Soil 0,33 mg/kg EC: 200-838-9 Intermittent 0,27 mg/L Oral Non-applicable propan-2-ol STP 2251 mg/L CAS: 67-63-0 Soil 28 mg/kg EC: 200-661-7 Intermittent 140,9 mg/L Oral 0,16 g/kg Exposure controls: A Individual protection measures, such as personal protective equipment As a preventative measure it is recommended to use basic Personal Protective marking>> in accordance with Regulation (EU) 2016/425. For more information use, cleaning, maintenance, class of protection,) consult the information leafl information see subsection 7.1. All information contained herein is a recommended	TON 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued) Identification Dichloromethane STP 26 mg/L Fresh water CAS: 75-09-2 Soil 0,33 mg/kg Marine water EC: 200-838-9 Intermittent 0,27 mg/L Sediment (Fresh water) propan-2-ol STP 2251 mg/L Fresh water CAS: 67-63-0 Soil 28 mg/kg Marine water EC: 200-661-7 Intermittent 140,9 mg/L Sediment (Fresh water) Oral 0,16 g/kg Sediment (Marine water)

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours (Filter type: A)		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.4 mm)		EN ISO 374-1:2016+A1:2018 EN 16523-1:2015+A1:2018 EN ISO 21420:2020	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Mandatory complete body protection	Disposable clothing for protection against chemical risks, with antistatic and fireproof properties	CAT III	EN 1149-1,2,3 EN 13034:2005+A1:2009 EN ISO 13982- 1:2004/A1:2010 EN ISO 6529:2013 EN ISO 6530:2005 EN ISO 13688:2013 EN 464:1994	For professional use only. Clean periodically according to the manufacturer's instructions.
Mandatory foot protection	Safety footwear for protection against chemical risk, with antistatic and heat resistant properties		EN ISO 13287:2020 EN ISO 20345:2011 EN 13832-1:2019	Replace boots at any sign of deterioration.



REMOVER

ION 8: EXPOSURE CONTROLS	/PERSONAL PROTECTIO	N (continued)						
Emergency measure	Standards	Emergency measure	Standards					
Emergency shower	ANSI Z358-1 SO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:20					
Environmental exposure contro	ole	Lychash stations						
In accordance with the community		of the environment it is rea	commended to avoid environmen					
spillage of both the product and its								
Volatile organic compounds:								
With regard to Directive 2010/75/E	EU, this product has the follow	ving characteristics:						
V.O.C. (Supply):	83 % weight							
V.O.C. density at 20 °C:	821,7 kg/m³ (821,7 g/	′L)						
Average carbon number:	1,18							
Average molecular weight:	85,08 g/mol							
ION 9: PHYSICAL AND CHEMI	CAL PROPERTIES							
Information on basic physical	and chemical properties:							
For complete information see the p								
Appearance:								
Physical state at 20 °C:	Aerosol	l						
Appearance:	Volatile							
Colour:	Colouri							
Odour:	Charact							
Odour threshold:		plicable *						
Volatility:	non ap	pileable						
Boiling point at atmospheric pressu	ıre: 8 - 240	°C (Propellant)						
Vapour pressure at 20 °C:		plicable *						
Vapour pressure at 50 °C:		00 Pa (300 kPa)						
Evaporation rate at 20 °C:		plicable *						
Product description:		p						
Density at 20 °C:	903 kg/	/m ³						
Relative density at 20 °C:	-	plicable *						
Dynamic viscosity at 20 °C:		plicable *						
Kinematic viscosity at 20 °C:		plicable *						
Kinematic viscosity at 40 °C:		plicable *						
Concentration:		plicable *						
pH:		plicable *						
Vapour density at 20 °C:		plicable *						
Partition coefficient n-octanol/wate		plicable *						
Solubility in water at 20 °C:		plicable *						
Solubility properties:		plicable *						
Decomposition temperature:		plicable *						
Melting point/freezing point:		plicable *						
Recipient pressure:		plicable *						
Flammability:		F						



Printing	: 06/10/2022	Date of compilation: 06/06/2012	Revised: 08/04/2022	Version: 7 (Replaced 6)
SEC	TION 9: PHYSIC	AL AND CHEMICAL PROPERTIE	S (continued)	
	Flash Point:		Non-applicable	
	Flammability (so	lid, gas):	Non-applicable *	
	Autoignition tem	perature:	365 °C (Propellant)	
	Lower flammabil	ity limit:	2,6 % Volume	
	Upper flammabil	ity limit:	18,6 % Volume	
	Particle charac	teristics:		
	Median equivaler	nt diameter:	Non-applicable	
9.2	Other informat	tion:		
	Information w	ith regard to physical hazard clas	ises:	
	Explosive proper	ties:	Non-applicable *	
	Oxidising proper	ties:	Non-applicable *	
	Corrosive to met	als:	Non-applicable *	
	Heat of combust	ion:	Non-applicable *	
	Aerosols-total pe components:	rcentage (by mass) of flammable	Non-applicable *	
	Other safety cl	naracteristics:		
	Surface tension a	at 20 °C:	Non-applicable *	
	Refraction index	:	Non-applicable *	
	*Not relevant due to	the nature of the product, not providing info	rmation property of its hazards.	

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):



REMOVER

Revised: 08/04/2022

Version: 7 (Replaced 6)

Date of compilation: 06/06/2012

Printing: 06/10/2022

TION 11: TOXICOLOGICAL INFORMATION (continued)							
 Acute toxicity : Based on available data, the classification criteria a as hazardous for consumption. For more information see section 3 Corrosivity/Irritability: Based on available data, the classification crit classified as hazardous for this effect. For more information see section B- Inhalation (acute effect): 	teria are not met, a n 3.	s it does not contain su	bstances				
 Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3. Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Contact with the skin and the eyes (acute effect): 							
 Contact with the skin and the cycle (deate circle). Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3. Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3. CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction): 							
	-	ion on the needblo head	th offects and				
 Carcinogenicity: Exposure to this product can cause cancer. For more specific information on the possible health effects see section 2. IARC: Dichloromethane (2A); Solvent naphtha (petroleum), light aliph., < 0.1 % EC 200-753-7 (3); propan-2-ol (3) Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. 							
E- Sensitizing effects:							
 Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Specific target organ toxicity (STOT) - single exposure: 							
Based on available data, the classification criteria are not met. Howev inhalation. For more information see section 3.G- Specific target organ toxicity (STOT)-repeated exposure:							
 Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3. H- Aspiration hazard: 							
Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.							
Other information:							
Non-applicable Specific toxicology information on the substances:							
Identification	Acu	te toxicity	Genus				
Dichloromethane	LD50 oral	>2000 mg/kg					
CAS: 75-09-2	LD50 dermal	>2000 mg/kg					
EC: 200-838-9	LC50 inhalation	86 mg/L (4 h)	Rat				
Solvent naphtha (petroleum), light aliph., < 0.1 % EC 200-753-7	LD50 oral	>2000 mg/kg					
CAS: 64742-89-8	LD50 dermal	>2000 mg/kg					
EC: 265-192-2	LC50 inhalation	>20 mg/L					
propan-2-ol	LD50 oral	5280 mg/kg	Rat				
CAS: 67-63-0	LD50 dermal	12800 mg/kg	Rat				
EC: 200-661-7	LC50 inhalation	72,6 mg/L (4 h)	Rat				



Date of compilation: 06/06/2012	Revised: 08/04/2022	. Ver	rsion: 7 (Replaced 6)	
COLOGICAL INFORMATION (contin	nued)			
Identification		Acu	ite toxicity	Genus
	LD50 o	ral	>2000 mg/kg	
	LD50 d	ermal	>2000 mg/kg	
	LC50 in	halation	658 mg/L (4 h)	Rat
on other hazards:				
rupting properties				
pting properties: The product fails to me	et the criteria.			
ation				
	COLOGICAL INFORMATION (contin Identification	COLOGICAL INFORMATION (continued) Identification LD50 o LD50 d LD50 d <tr< td=""><td>COLOGICAL INFORMATION (continued) Identification Acu LD50 oral LD50 dermal LC50 inhalation Acu con other hazards: rupting properties rupting properties: The product fails to meet the criteria.</td><td>COLOGICAL INFORMATION (continued) Acute toxicity LD50 oral >2000 mg/kg LD50 dermal >2000 mg/kg LC50 inhalation 658 mg/L (4 h) colspan="2">or other hazards: rupting properties apting properties: The product fails to meet the criteria.</td></tr<>	COLOGICAL INFORMATION (continued) Identification Acu LD50 oral LD50 dermal LC50 inhalation Acu con other hazards: rupting properties rupting properties: The product fails to meet the criteria.	COLOGICAL INFORMATION (continued) Acute toxicity LD50 oral >2000 mg/kg LD50 dermal >2000 mg/kg LC50 inhalation 658 mg/L (4 h) colspan="2">or other hazards: rupting properties apting properties: The product fails to meet the criteria.

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
Dichloromethane	LC50	330 mg/L (96 h)	Pimephales promelas	Fish
CAS: 75-09-2	EC50	270 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-838-9	EC50	2300 mg/L (3 h)	Chlorella vulgaris	Algae
Solvent naphtha (petroleum), light aliph., < 0.1 % EC 200-753-7	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 64742-89-8	EC50	>1 - 10 mg/L (48 h)		Crustacean
EC: 265-192-2	EC50	>1 - 10 mg/L (72 h)		Algae
propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish
CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-661-7	EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae

Chronic toxicity:

Identification		Concentration	Species	Genus
Dichloromethane	NOEC	357 mg/L	Pimephales promelas	Fish
CAS: 75-09-2 EC: 200-838-9	NOEC	Non-applicable		

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
Dichloromethane	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 75-09-2	COD	Non-applicable	Period	28 days
EC: 200-838-9	BOD5/COD	Non-applicable	% Biodegradable	13 %
propan-2-ol	BOD5	1,19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2,23 g O2/g	Period	14 days
EC: 200-661-7	BOD5/COD	0,53	% Biodegradable	86 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification		Bioaccumulation potential		
Dichloromethane	E	BCF	6	
CAS: 75-09-2	F	Pow Log	1.25	
EC: 200-838-9	F	Potential	Low	
Butane	E	BCF	33	
CAS: 106-97-8	F	Pow Log	2.89	
EC: 203-448-7	F	Potential	Moderate	
propan-2-ol	E	BCF	3	
CAS: 67-63-0	F	Pow Log	0.05	
EC: 200-661-7	F	Potential	Low	



Revised: 08/04/2022

Version: 7 (Replaced 6)

SECTION 12: ECOLOGICAL INFORMATION (continued)

12.4 Mobility in soil:

Identification	Absorp	tion/desorption	Volatility	
Dichloromethane	Кос	Non-applicable	Henry	Non-applicable
CAS: 75-09-2	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 200-838-9	Surface tension	2,877E-2 N/m (25 °C)	Moist soil	Non-applicable
Butane	Кос	900	Henry	96258,75 Pa·m ³ /mol
CAS: 106-97-8	Conclusion	Low	Dry soil	Yes
EC: 203-448-7	Surface tension	1,187E-2 N/m (25 °C)	Moist soil	Yes
propan-2-ol	Кос	1.5	Henry	8,207E-1 Pa·m ³ /mol
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes
EC: 200-661-7	Surface tension	2,24E-2 N/m (25 °C)	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
16 05 04*	gases in pressure containers (including halons) containing hazardous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable, HP7 Carcinogenic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:



REMOVER

Printing: 06/10/2022	Date o	of compilation: 06/06/2012	Revised: 08/04/2022	Version: 7 (Replaced 6)
SECTION 14: TRANSF	PORT	INFORMATION (continued)		
2	14.2 14.3 14.4 14.5 14.6	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities: Maritime transport in bulk	UN1950 AEROSOLS 2 2.1 N/A No 190, 327, 344, 625 D see section 9 1 L Non-applicable	
		according to IMO instruments:		
Transport of da	ngero	us goods by sea:		
With regard to IN	1DG 40	-20:		
	14.1	UN number or ID number:	UN1950	
	14.2	UN proper shipping name:	AEROSOLS	
	14.3	Transport hazard class(es):	2	
		Labels:	2.1	
		Packing group:	N/A	
2		Marine pollutant:	No	
	14.6	Special precautions for user	62 0E0 100 277 227 244	
		Special regulations:	63, 959, 190, 277, 327, 344	
		EmS Codes: Physico-Chemical properties:	F-D, S-U see section 9	
		Limited quantities:	1 L	
		Segregation group:	Non-applicable	
	147	Maritime transport in bulk	Non-applicable	
	14.7	according to IMO instruments:		
Transport of da	ngero	us goods by air:		
With regard to IA	TA/ICA	AO 2022:		
	14.1	UN number or ID number:	UN1950	
ste	14.2	UN proper shipping name:	AEROSOLS	
		Transport hazard class(es):	2	
		Labels:	2.1	
2	14.4	Packing group:	N/A	
•		Environmental hazards:	No	
	14.6	Special precautions for user		
		Physico-Chemical properties:	see section 9	
	14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable	
L				

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable Article 95, REGULATION (EU) No 528/2012: propan-2-ol (Product-type 1, 2, 4)



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

REMOVER

 Printing: 06/10/2022
 Date of compilation: 06/06/2012
 Revised: 08/04/2022
 Version: 7 (Replaced 6)

SECTION 15: REGULATORY INFORMATION (continued)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
P3a	FLAMMABLE AEROSOLS	150	500

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

Council Directive 75/324/EEC of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 94/1/EC of 6 January 1994 adapting some technicalities of Council Directive 75/324/EEC on the approximation of the laws of the relating Member States to aerosol dispensers

Commission Directive 2008/47/EC of 8 April 2008 amending, for the purposes of adapting to technical progress, Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 2013/10/EU of 19 March 2013 amending Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers in order to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures COMMISSION DIRECTIVE (EU) 2016/2037 of 21 November 2016 amending Council Directive 75/324/EEC as regards the maximum allowable pressure of aerosol dispensers and to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures the maximum allowable pressure of aerosol dispensers and to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

H351: Suspected of causing cancer.

H229: Pressurised container: May burst if heated.

H222: Extremely flammable aerosol.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Carc. 2: H351 - Suspected of causing cancer. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Gas 1A: H220 - Extremely flammable gas. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Press. Gas: H280 - Contains gas under pressure, may explode if heated. STOT SE 3: H336 - May cause drowsiness or dizziness.

Classification procedure:

- CONTINUED ON NEXT PAGE -



REMOVER

Printing: 06/10/2022	Date of compilation: 06/06/2012	Revised: 08/04/2022	Version: 7 (Replaced 6)					
SECTION 16: OTHE	R INFORMATION (continued)							
Carc. 2: Calculation method Aerosol 1: Calculation method Aerosol 1: Calculation method Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu								
Abbreviations	http://eur-lex.europa.eu Abbreviations and acronyms:							
IMDG: Internati	ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code							
ICAO: Internation COD: Chemical	IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand							
BCF: Bioconcen LD50: Lethal Do	BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50							
EC50: Effective	LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient							
Koc: Partition co UFI: unique for	Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer							
	5 - 5,							

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.